
CHAIR PACKAGE CONTENTS



IMPORTANT: Do not fully tighten bolts/screws until all pleces are loosely assembled.




Part	Description	Quantity
A	Right arm	1
В	Left arm	1
C	Chair seat	1
D	Chair back	1
Е	Seat cushion	1
F	Back cushion	1

1 Attach the chair seat to the right arm

Attach the chair seat (C) to the right arm (A) using M6 bolts (BB) and washers (CC).



NOTE: Please ensure all the bolts are assembled correctly and use the allen driver (EE) to tighten. Do not fully tighten bolts/screws until all pleces are loosely assembled. Add corresponding plastic caps (DD) after final assembly finished.




2 Attach the chair back to the right arm

Attach the chair back (D) to the right arm (A) using M6 bolts (AA) and washers (CC).




NOTE: Please ensure all the bolts are assembled correctly and use the allen driver (EE) to tighten. Do not fully tighten bolts/screws until all pleces are loosely assembled. Add corresponding plastic caps (DD) after final assembly finished.




3 Attach the left arm to the chair seat

 Attach the left arm (B) to the chair seat (C) using M6 bolts (BB) and washers (CC).




4. Attach the left arm to the chair back

 $\hfill\Box$ Attach the left arm (B) to the chair back (D) using M6 bolts (AA) and washers (CC).



LOVESEAT PACKAGE CONTENTS

IMPORTANT: Do not fully tighten bolts/screws until all places are loosely assembled.



Part	Description	Quantity
A	Right arm	1
В	Left arm	1
C	Loveseat seat	1
D	Loveseat back	1
E	Seat cushion	2
F	Back cushion	2


1 Attach the loveseat seat to the right arm 2 Attach the loveseat back to the right arm


D Attach the loveseat back (D) to the right arm (A) using M6 bolts

□ Attach the loveseat seat (C) to the right arm (A) using M6 bolts (BB) and washers (CC).




corresponding plastic caps (OD) after final assembly finished.






NOTE: Please ensure all the bolts are assembled correctly and use the allen driver (EE) to tighten. Do not fully tighten bolts/screws until all pieces are loosely assembled. Add corresponding plastic caps (DD) after final assembly finished.

(AA) and washers (CC).



Attach the left arm and back to the loveseat seat

☐ Attach the left arm (B) and loveseat back (D) to the loveseat seat (C) using M6 bolts (BB) and washers (CC).



4 Attach the left arm to the loveseat back

o Attach the left arm (B) to the loveseat back (D) using M6 bolts (AA) and washers (CC).





TABLE PACKAGE CONTENTS



IMPORTANT: Do not fully tighten bolts/screws until all pieces are loosely assembled.




Part	Description	Quantity
A	Table top	1
В	Table leg	4

1 Attach the table legs to the table top

Attach the table legs (B) to the table top (A) using M6 bolts (FF) and washers (CC).



NOTE: Please ensure all the bolts are assembled correctly and use the allen driver (EE) to tighten. Do not fully tighten bolts/screws until all pleces are loosely assembled. Add corresponding plastic caps (DD) after final assembly finished.



2 Turn the table up

□ Turn the table right side up.

